

Guarantees - Pre Painted Buildings	Page 2
Guarantees - Composite Buildings	Page 3
Guarantees - Cedar Buildings	Page 4
Door Options	Page 5-8
Window Options	Page 9-12
Door & Window Options	Page 13-15



Guarantee - Pre Painted

All buildings are covered for 12 months under the manufacturers guarantee unless they have been affected by one of the listed issues below. Each of the following components are guaranteed for the periods and issues listed below.

Component	Period	Covered
EPDM Rubber Roof	20 years	Degradation of the membrane
Decorative Felt Tiles	12 months	Leaks
Cedar Shingle Roof	5 years	Rot
Slate Eco-Tile	20 years	Degradation of the membrane
Cedar Slat Roof	5 years	Rot
Factory Sprayed Cladding	12 months	Please see information and maintenance sheet
Roof Lantern	20 years	Leaks
Flat Roof Light	20 years	Leaks
UPVC Window and Doors	10 years	Foils and moving components
Aluminium Windows and Doors	10 years	Moving components & colour stability
Aluminium Bi-Fold Doors	10 years	Moving components & colour stability
Glazing	5 years	Glass unit failure (blown/cloudy)
Integrated blinds	5 years	Glass unit failure (blown/cloudy), entanglement, seizing, discolouration of slats
Bearers	15 years	Rot

During the guarantee period Bards Garden Buildings will repair or replace using new or refurbished components, at no charge, any components that prove defective because of improper material or workmanship, under normal use and maintenance. Guarantees do not cover any problem that is caused by conditions, malfunctions or damage not resulting from defects in the material.



Guarantee - Composite

All buildings are covered for 12 months under the manufacturers guarantee unless they have been affected by one of the listed issues below. Each of the following components are guaranteed for the periods and issues listed below.

Component	Period	Covered
EPDM Rubber Roof	20 years	Degradation of the membrane
Decorative Felt Tiles	12 months	Leaks
Cedar Shingle Roof	5 years	Rot
Slate Eco-Tile	20 years	Degradation of the membrane
Cedar Slat Roof	5 years	Rot
Composite Cladding and Trims	25 years limited (manufacturers warranty)	Rip,tear,crack, break, splinter, flake or corrode. Mould or fungal decay. Delaminate or peel. Attack by termites or insects.
Roof Lantern	20 years	Leaks
Flat Roof Light	20 years	Leaks
UPVC Window and Doors	10 years	Foils and moving components
Aluminium Windows and Doors	10 years	Moving components & colour stability
Aluminium Bi-Fold Doors	10 years	Moving components & colour stability
Glazing	5 years	Glass unit failure (blown/cloudy)
Integrated blinds	5 years	Glass unit failure (blown/cloudy), entanglement, seizing, discolouration of slats
Bearers	15 years	Rot

During the guarantee period Bards Garden Buildings will repair or replace using new or refurbished components, at no charge, any components that prove defective because of improper material or workmanship, under normal use and maintenance. Guarantees do not cover any problem that is caused by conditions, malfunctions or damage not resulting from defects in the material.



Guarantee - Cedar

All buildings are covered for 12 months under the manufacturers guarantee unless they have been affected by one of the listed issues below. Each of the following components are guaranteed for the periods and issues listed below.

Component	Period	Covered
EPDM Rubber Roof	20 years	Degradation of the membrane
Decorative Felt Tiles	1 years	Leaks
Cedar Shingle Roof	5 years	Rot
Slate Eco-Tile	20 years	Degradation of the membrane
Cedar Slat Roof	5 years	Rot
Roof Lantern	20 years	Leaks
Flat Roof Light	20 years	Leaks
Cedar Cladding and Trims	10 years	Rot
UPVC Window and Doors	10 years	Foils and moving components
Aluminium Windows and Doors	10 years	Moving components & colour stability
Aluminium Bi-Fold Doors	10 years	Moving components & colour stability
Glazing	5 years	Glass unit failure (blown/cloudy)
Integrated blinds	5 years	Glass unit failure (blown/cloudy), entanglement, seizing, discolouration of slats.
Bearers	15 years	Rot





During the guarantee period Bards Garden Buildings will repair or replace using new or refurbished components, at no charge, any components that prove defective because of improper material or workmanship, under normal use and maintenance. Guarantees do not cover any problem that is caused by conditions, malfunctions or damage not resulting from defects in the material.







Door Options

You can customise your building to include whatever doors and window combinations you like provided they are available on your IGR's designs and chosen dimensions. We have provided a standard configuration that can be seen in the product description. Any changes can be made via our sales team. Prices on Application.

Single, Double & Patio Door Options




5FT DOUBLE DOORS	4FT DOUBLE DOORS	SINGLE DOOR	SINGLE SOLID DOOR
(1653mmW x 2008mmH)	(1233mmW x 2008mmH)	(890mmW x 2008mmH)	(890mmW x 2008mmH)
			
UPVC ✓	UPVC ✓	UPVC ✓	UPVC ✓
ALUMINIUM ✓	ALUMINIUM ✓	ALUMINIUM ✓	ALUMINIUM ✗




SINGLE DOOR WITH SIDE PANEL	PATIO DOORS (SLIDERS)	PATIO DOORS (SLIDERS)	PATIO DOORS (SLIDERS)
(1233mmW x 2008mm H)	(2400mmW x 1980mmH)	(3000mmW x 1970mmH)	(3600mmW x 1970mmH)
			
UPVC ✓	UPVC ✓	UPVC ✓	UPVC ✓
ALUMINIUM ✗	ALUMINIUM ✗	ALUMINIUM ✗	ALUMINIUM ✗

An internal single primed door can be added to your order if you're planning on having an internal partition installed. POA

Frosted Glass & UPVC Georgian Bar upgrades can be added to your door option if you desire. POA

Single, Double & Bi-fold Transom Options




TRANSOM 5FT DOUBLE DOORS		TRANSOM 4FT DOUBLE DOORS		TRANSOM SINGLE DOOR	
(1653mmW x 2008mmH)		(1233mmW x 2008mmH)		(890mmW x 2008mmH)	
					
UPVC	✗	UPVC	✗	UPVC	✗
ALUMINIUM	✓	ALUMINIUM	✓	ALUMINIUM	✓

TRANSOM 3M BI-FOLDS		TRANSOM 4M BI-FOLDS		TRANSOM 5M BI-FOLDS	
(3000mmW x 2000mmH)		(4000mmW x 2000mmH)		(5000mmW x 2000mmH)	
					
UPVC	✗	UPVC	✗	UPVC	✗
ALUMINIUM	✓	ALUMINIUM	✓	ALUMINIUM	✓





You can add even more style to your doors with these decorative Transom designs. Only available in Aluminium finish. Any changes can be made via our sales team. POA



Bi-Fold Door Options

3M BI-FOLDS		4M BI-FOLDS		5M BI-FOLDS	
(3000mmW x 2000mmH)		(4000mmW x 2000mmH)		(5000mmW x 2000mmH)	
					
UPVC	✗	UPVC	✗	UPVC	✗
ALUMINIUM	✓	ALUMINIUM	✓	ALUMINIUM	✓

Aluminium Bi-Fold Door Opening Options

<p>3m (3000mm W x 2000mm H)</p>  <p>1 left, 2 right, Master door left</p> <p>1L2R</p> <p>Config 1</p>	<p>3m (3000mm W x 2000mm H)</p>  <p>2 left, 1 right, Master door right</p> <p>2L1R</p> <p>Config 2</p>	<p>3m (3000mm W x 2000mm H)</p>  <p>All folding right, Master door left</p> <p>3R</p> <p>Config 3</p>	<p>3m (3000mm W x 2000mm H)</p>  <p>All folding left, Master door right</p> <p>3L</p> <p>Config 4</p>
<p>4m (4000mm W x 2000mm H)</p>  <p>1 left, 3 right, Master door left</p> <p>1L3R</p> <p>Config 1</p>	<p>4m (4000mm W x 2000mm H)</p>  <p>3 left, 1 right, Master door right</p> <p>3L1R</p> <p>Config 2</p>	<p>5m (5000mm W x 2000mm H)</p>  <p>4 left, 1 right, Master door right</p> <p>4L1R</p> <p>Config 1</p>	<p>5m (5000mm W x 2000mm H)</p>  <p>1 left, 4 right, Master door left</p> <p>1L4R</p> <p>Config 2</p>
<p>5m (5000mm W x 2000mm H)</p>  <p>2 left, 3 right, Master door at 3rd section</p> <p>2L3R</p> <p>Config 3</p>	<p>5m (5000mm W x 2000mm H)</p>  <p>3 left, 2 right, Master door at 3rd section</p> <p>3L2R</p> <p>Config 4</p>	<p>5m (5000mm W x 2000mm H)</p>  <p>All folding left, Master door right</p> <p>5L</p> <p>Config 5</p>	<p>5m (5000mm W x 2000mm H)</p>  <p>All folding right, Master door left</p> <p>5R</p> <p>Config 6</p>













UPVC Door Colour Options

You can customise your UPVC doors with a number of different external colours. At present the only internal colour we offer is white. See what's possible below depending on the type of door. To choose one of these colours speak to a member of our sales team, POA.




UPVC DOORS	INTERNAL COLOUR	SMOOTH BLACK	GRAINED WHITE	GRAINED ANTHRACITE GREY	GRAINED HAZY GREY	GRAINED CREAM
Single Solid Door	White	X	✓	✓	X	✓
Single Glazed Door	White	✓	✓	✓	✓	✓
Single Door / Side Panel	White	✓	✓	✓	✓	✓
4ft Double Door	White	✓	✓	✓	✓	✓
5ft Double Door	White	✓	✓	✓	✓	✓
2.4m Sliding Door	White	✓	✓	✓	✓	✓
3m Sliding Door	White	✓	✓	✓	✓	✓
3.6m Sliding Door	White	✓	✓	✓	✓	✓
UPVC Georgian Bars	White	X	✓	✓	X	✓







Casement Window Options

FIXED CASEMENT WINDOW	TOP OPENING CASEMENT WINDOW	FIXED CASEMENT WINDOW	TOP OPENING CASEMENT WINDOW
(585mmW x 1195mmH)	(585mmW x 1195mmH)	(795mmW x 1195mmH)	(795mmW x 1195mmH)
			
UPVC T1 ✓	UPVC T1LEA ✓	UPVC T2 ✓	UPVC T2LEA ✓
ALUMINIUM A1 ✓	ALUMINIUM A1LEA ✓	ALUMINIUM A2 ✓	ALUMINIUM A2LEA ✓
FIXED CASEMENT WINDOW	TOP OPENING CASEMENT WINDOW	FULL OPENING CASEMENT WINDOW	FIXED CASEMENT WINDOW
(585mmW x 1530mmH)	(585mmW x 1530mmH)	(585mmW x 1530mmH)	(795mmW x 1530mmH)
			
UPVC T8 ✓	UPVC T8LEA ✓	UPVC T8FO ✓	UPVC T12 ✓
ALUMINIUM A8 ✓	ALUMINIUM A8LEA ✓	ALUMINIUM A8FO ✓	ALUMINIUM A12 ✓
TOP OPENING CASEMENT WINDOW	FULL OPENING CASEMENT WINDOW	TOP HOPPER CASEMENT WINDOW	FIXED CASEMENT WINDOW
(795mmW x 1530mmH)	(795mmW x 1530mmH)	(795mmW x 440mmH)	(585mmW x 2008mmH)
			
UPVC T12LEA ✓	UPVC T12FO ✓	UPVC TTOP ✓	UPVC T10 ✓
ALUM. A12LEA ✓	ALUMINIUM A12FO ✓	ALUMINIUM ATOP ✓	ALUMINIUM A10 ✓

Window Options

TOP OPENING CASEMENT WINDOW	FIXED CASEMENT WINDOW	TOP OPENING CASEMENT WINDOW
(585mmW x 2008mmH)	(7955mmW x 2008mmH)	(795mmW x 2008mmH)
		
UPVC T10LEA ✓	UPVC T15 ✓	UPVC T15LEA ✓
ALUMINIUM A10LEA ✓	ALUMINIUM A15 ✓	ALUMINIUM A15LEA ✓

Corner Window Options

FIXED CORNER WINDOW	FIXED CORNER WINDOW	FIXED CORNER WINDOW	FIXED CORNER WINDOW
(795mmW x 795mmW x 2008H)	(585mmW x 2008mmH)	(795mmW x 1195mmH)	(585mmW x 1195mmH)
			
UPVC ✗	UPVC ✗	UPVC ✗	UPVC ✗
ALUMINIUM ✓	ALUMINIUM ✓	ALUMINIUM ✓	ALUMINIUM ✓
TOP OPENING VERSIONS ARE AVAILABLE ON REQUEST - POA			

Frosted Glass & UPVC Georgian Bar upgrades can be added to your door option if you desire. POA

Bespoke windows can be designed specifically for your building if required. Simply let our sales team know what you would like and we'll take care of the rest. POA

Casement Window Transom Options

FIXED CASEMENT TRANSOM WINDOW	TOP OPENING CASEMENT TRANSOM WINDOW	FIXED CASEMENT TRANSOM WINDOW	TOP OPENING CASEMENT TRANSOM WINDOW
(585mmW x 1195mmH)	(585mmW x 1195mmH)	(795mmW x 1195mmH)	(795mmW x 1195mmH)
UPVC ✗	UPVC ✗	UPVC ✗	UPVC ✗
ALUMINIUM A1 ✓	ALUMINIUM A1LEA ✓	ALUMINIUM A2 ✓	ALUMINIUM A2LEA ✓

FIXED CASEMENT TRANSOM WINDOW	TOP OPENING CASEMENT TRANSOM WINDOW	FIXED CASEMENT TRANSOM WINDOW	TOP OPENING CASEMENT TRANSOM WINDOW
(585mmW x 2008mmH)	(585mmW x 2008mmH)	(795mmW x 2008mmH)	(795mmW x 2008mmH)
UPVC ✗	UPVC ✗	UPVC ✗	UPVC ✗
ALUMINIUM A10 ✓	ALUM. A10LEA ✓	ALUMINIUM A15 ✓	ALUM. A15LEA ✓

Corner Window Transom Options

FIXED CORNER TRANSOM WINDOW	FIXED CORNER TRANSOM WINDOW	FIXED CORNER TRANSOM WINDOW	FIXED CORNER TRANSOM WINDOW
(795mmW x 795mmW x 2008H)	(585mmW x 2008mmH)	(795mmW x 1195mmH)	(585mmW x 1195mmH)
UPVC ✗	UPVC ✗	UPVC ✗	UPVC ✗
ALUMINIUM ✓	ALUMINIUM ✓	ALUMINIUM ✓	ALUMINIUM ✓
TOP OPENING VERSIONS ARE AVAILABLE ON REQUEST - POA			



UPVC Window Colour Options

You can customise your UPVC windows with a number of different external colours. At present the only internal colour we offer is white. See what's possible below depending on the type of window. To choose one of these colours speak to a member of our sales team, POA.

UPVC WINDOWS	INTERNAL COLOUR	SMOOTH BLACK	GRAINED WHITE	GRAINED ANTHRACITE GREY	GRAINED HAZY GREY	GRAINED CREAM
Top Hopper Casement	White	✓	✓	✓	✓	✓
T1 Casement	White	✓	✓	✓	✓	✓
T1 LEA Casement	White	✓	✓	✓	✓	✓
T2 Casement	White	✓	✓	✓	✓	✓
T2 LEA Casement	White	✓	✓	✓	✓	✓
T8 Casement	White	✓	✓	✓	✓	✓
T8 LEA Casement	White	✓	✓	✓	✓	✓
T8 Full Opening Casement	White	✓	✓	✓	✓	✓
T10 Casement	White	✓	✓	✓	✓	✓
T10 LEA Casement	White	✓	✓	✓	✓	✓
T12 Casement	White	✓	✓	✓	✓	✓
T12 LEA Casement	White	✓	✓	✓	✓	✓
T12 Full Opening Casement	White	✓	✓	✓	✓	✓



Aluminium Door & Window Colour Options

You can customise your Aluminium windows & doors with a number of different colours. See what's possible below depending on the type of doors/windows you want for your IGR. To choose one of these colours speak to a member of our sales team, POA.

	Internal Colour	Smooth Black	Smooth White	Smooth Anthracite Grey	Hazy Grey	Cream
Aluminium Doors						
Single Glazed Door	Will be the same as the chosen external colour	✓	✓	✓	✗	✗
4ft Double Door		✓	✓	✓	✗	✗
5ft Double Door		✓	✓	✓	✗	✗
3m Bi-fold Doors		✓	✓	✓	✗	✗
4m Bi-fold Doors		✓	✓	✓	✗	✗
5m Bi-fold Doors		✓	✓	✓	✗	✗
Aluminium Windows						
	Internal Colour	Smooth Black	Smooth White	Smooth Anthracite Grey	Hazy Grey	Cream
Top Hopper Casement	Will be the same as the chosen external colour	✓	✓	✓	✗	✗
T1 Casement		✓	✓	✓	✗	✗
T1 LEA Casement		✓	✓	✓	✗	✗
T2 Casement		✓	✓	✓	✗	✗
T2 LEA Casement		✓	✓	✓	✗	✗
T8 Casement		✓	✓	✓	✗	✗
T8 LEA Casement		✓	✓	✓	✗	✗
T8 Full Opening Casement		✓	✓	✓	✗	✗
T10 Casement		✓	✓	✓	✗	✗
T10 LEA Casement		✓	✓	✓	✗	✗
T12 Casement		✓	✓	✓	✗	✗
T12 LEA Casement		✓	✓	✓	✗	✗
T12 Full Opening Casement		✓	✓	✓	✗	✗
T15 Casement		✓	✓	✓	✗	✗
T15 LEA Casement		✓	✓	✓	✗	✗



Door & Window Configurations

Othello / Portia / Yorick Ranges			Single					Single & Side Panel					4' Double Doors					5' Double Doors								
	Front Aspect		T10	T15	T1	T2	T8	T12	T10	T15	T1	T2	T8	T12	T10	T15	T1	T2	T8	T12	T10	T15	T1	T2	T8	T12
8'	2.43m		2	1	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	non	1	non	1	non
10'	3.04m		3	2	3	2	3	2	2	2	2	2	2	2	2	2	2	2	2	2	2	1	2	1	2	1
12'	3.65m		4	3	4	3	4	3	3	2	3	2	3	2	3	2	3	2	3	2	3	2	3	2	3	2
14'	4.26m		5	3	5	3	5	3	4	3	4	3	4	3	4	3	4	3	4	3	4	3	4	3	4	3
15'	4.87m		6	4	6	4	6	4	5	4	5	4	5	4	5	4	5	4	5	4	5	3	5	3	5	3
18'	5.48m		7	5	7	5	7	5	6	5	6	5	6	5	6	5	6	5	6	5	6	4	6	4	6	4
20'	6.09m		8	6	8	6	8	6	7	5	7	5	7	5	7	5	7	5	7	5	7	5	7	5	7	5
22'	6.70m		9	6	9	6	9	6	8	6	8	6	8	6	8	6	8	6	8	6	8	6	8	6	8	6
24'	7.31m		10	7	10	7	10	7	9	6	9	6	9	6	9	6	9	6	9	6	9	6	9	6	9	6
25'	7.92m		11	8	11	8	11	8	10	8	10	8	10	8	10	8	10	8	10	8	10	7	##	7	10	7
28'	8.53m		12	9	12	9	12	9	11	8	11	8	11	8	11	8	11	8	11	8	11	8	##	8	11	8
30'	9.14m		13	9	13	9	13	9	12	9	12	9	12	9	12	9	12	9	12	9	12	9	##	9	12	9

Othello / Portia / Yorick Ranges			2.4m In-line Patio					3m In-line Patio					3.6m In-line Patio						
	Front Aspect		T10	T15	T1	T2	T8	T12	T10	T15	T1	T2	T8	T12	T10	T15	T1	T2	T8
8'	2.43m		not available					not available					not available						
10'	3.04m		not available					not available					not available						
12'	3.65m		1	1	1	1	1	1	not available					not available					
14'	4.26m		2	1	2	1	2	1	1	1	1	1	1	not available					
16'	4.87m		3	2	3	2	3	2	2	2	2	2	2	1	1	1	1	1	1
18'	5.48m		4	3	4	3	4	3	3	2	3	2	3	2	2	2	2	2	2
20'	6.09m		5	4	5	4	5	4	4	3	4	3	4	3	3	2	3	2	3
22'	6.70m		6	4	6	4	6	4	5	4	5	4	5	4	4	3	4	3	4
24'	7.31m		7	4	7	4	7	4	6	5	6	5	6	5	5	4	5	4	5
26'	7.92m		8	5	8	5	8	5	7	5	7	5	7	5	6	5	6	5	6
28'	8.53m		9	6	9	6	9	6	8	6	8	6	8	6	7	5	7	5	7
30'	9.14m		10	6	10	6	10	6	9	7	9	7	9	7	7	6	7	6	7

Othello / Portia Ranges			3m Bi-fold Doors					4m Bi-fold Doors					
	Front Aspect		T10	T15	T1	T2	T8	T12	T10	T15	T1	T2	T8
8'	2.43m		not available					not available					
10'	3.04m		not available					not available					
12'	3.65m		non	non	non	non	non	non	not available				
14'	4.26m		non	non	non	non	non	non	not available				
16'	4.87m		non	non	non	non	non	non	non	non	non	non	non
18'	5.48m		2	2	2	2	2	2	non	non	non	non	non
20'	6.09m		2	2	2	2	2	2	non	2	non	2	non
22'	6.70m		4	2	4	2	4	2	2	2	2	2	2
24'	7.31m		4	4	4	4	4	4	2	4	2	4	2
26'	7.92m		6	4	6	4	6	4	4	2	4	2	4
28'	8.53m		6	4	6	4	6	4	6	4	6	4	6
30'	9.14m		8	6	8	6	8	6	6	4	6	4	6

Oswald Range			Single					Single & Side Panel					4' Double Doors					5' Double Doors								
	Front Aspect		T10	T15	T1	T2	T8	T12	T10	T15	T1	T2	T8	T12	T10	T15	T1	T2	T8	T12	T10	T15	T1	T2	T8	T12
8'	2.43m		4	2	4	2	4	2	4	2	4	2	4	2	4	2	4	2	4	2	not available					
9'	3.04m		4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	not available					
10'	3.65m		6	4	6	4	6	4	6	4	6	4	6	4	6	4	6	4	6	4	not available					
11'	4.26m		6	4	6	4	6	4	6	4	6	4	6	4	6	4	6	4	6	4	6	4	6	4	6	2
12'	4.87m		6	4	6	4	6	4	6	4	6	4	6	4	6	4	6	4	6	4	6	4	6	4	6	2



Door & Window Configurations

To help you decide what windows and doors to include on your IGR we have put together this helpful configuration sheet to show you what is possible on each building design and size. Prices of additional windows and doors are on a POA basis.

Othello / Portia Ranges			3m Bi-fold Doors						4m Bi-fold Doors					
	Front Aspect		T10	T15	T1	T2	T8	T12	T10	T15	T1	T2	T8	T12
	8'	2.43m	not available						not available					
	10'	3.04m	not available						not available					
	12'	3.65m	non	non	non	non	non	non	not available					
	14'	4.26m	non	non	non	non	non	non	not available					
	16'	4.87m	non	non	non	non	non	non	non	non	non	non	non	non
	18'	5.48m	2	2	2	2	2	2	non	non	non	non	non	non
	20'	6.09m	2	2	2	2	2	2	2	non	2	non	2	non
	22'	6.70m	4	2	4	2	4	2	2	2	2	2	2	2
	24'	7.31m	4	4	4	4	4	4	4	2	4	2	4	2
	26'	7.92m	6	4	6	4	6	4	4	2	4	2	4	2
	28'	8.53m	6	4	6	4	6	4	6	4	6	4	6	4
	30'	9.14m	8	6	8	6	8	6	6	4	6	4	6	4

Oswald Range			Single						Single & Side Panel						4' Double Doors						5' Double Doors					
	Front Aspect		T10	T15	T1	T2	T8	T12	T10	T15	T1	T2	T8	T12	T10	T15	T1	T2	T8	T12	T10	T15	T1	T2	T8	T12
	8'	2.43m	4	2	4	2	4	2	4	2	4	2	4	2	4	2	4	2	4	2	not available					
	9'	3.04m	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	not available					
	10'	3.65m	6	4	6	4	6	4	6	4	6	4	6	4	6	4	6	4	6	4	not available					
	11'	4.26m	6	4	6	4	6	4	6	4	6	4	6	4	6	4	6	4	6	4	6	4	6	4	6	2
	12'	4.87m	6	4	6	4	6	4	6	4	6	4	6	4	6	4	6	4	6	4	6	4	6	4	6	2



Floor Plan - Draft

Building Name:

Customer Name:

Bespoke Elements:

Notes:

